Patent Assignment Abstract of Title

Total Assignments: 1
Application #: 09909190 **Filing Dt:** 07/19/2001   **Patent #:** NONE   **Issue Dt:**
          PCT #: NONE   **Publication #:** US20030016639   **Pub Dt:** 01/23/2003
     Inventors: Jan Kransmo, Bo Lee
          Title: Telecommunications system and method for delivery of short message service messages to a mobile terminal in data mode

Assignment: 1
     Reel/Frame: 012016 / 0654   **Received:** 08/01/2001   **Recorded:** 07/19/2001   **Mailed:** 10/01/2001   **Pages:** 5
     Conveyance: ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).
     Assignors: KRANSMO, JAN   **Exec Dt:** 07/17/2001
                    LEE, BO   **Exec Dt:** 06/26/2001
     Assignee: ERICSSON INC.
                   6300 LEGACY DRIVE
                   PLANO, TEXAS 75024
Correspondent: JENKENS & GILCHRIST, P.C.
                   ANDRE M. SZUWALSKI
                   1445 ROSS AVENUE, SUITE 3200
                   DALLAS, TEXAS 75202-2799

Search Results as of: 11/09/2007 09:16 AM

If you have any comments or questions concerning the data displayed, contact PRD / Assignments at 571-272-3350.
Web interface last modified: February 22, 2007 v.2.0

WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Friday, November 09, 2007

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT; PLUR=YES; OP=ADJ	
☐	L35	(MS or (mobile near1 station$)) same L33	31
☐	L34	((MS or (mobile near1 station$)) same ((mobile near1 service near1 switch$6 near1 center) or MSSC)) and L33	2
☐	L33	(data near1 (mode$ or service$ or session$)) same (voice near1 (mode$ or service$ or session$)) same L32	232
☐	L32	(inform$6 or indicat$6) near4 ((data near1 (mode$ or service$ or session$)) or (voice near1 (mode$ or service$ or session$)))	11632
☐	L31	(data near1 (mode$ or service$ or session$)) same (voice near1 (mode$ or service$ or session$)) same L30	394
☐	L30	(inform$6 or indicat$6) near10 ((data near1 (mode$ or service$ or session$)) or (voice near1 (mode$ or service$ or session$)))	18573
☐	L29	((short near1 message near1 service) or SMS) and L24	17
☐	L28	L24 and L9	6
☐	L27	code$ same L24	3
☐	L26	(inform$6 near4 mode$) and L24	10
☐	L25	((MS or (mobile near1 station$)) same ((mobile near1 service near1 switch$6 near1 center) or MSSC)) and L24	1
☐	L24	L1 same L23	47
☐	L23	(data near1 (mode$ or service$ or session$)) same (voice near1 (mode$ or service$ or session$))	3787
☐	L22	((MS or (mobile near1 station$)) same ((mobile near1 service near1 switch$6 near1 center) or MSSC)) and L5	8
☐	L21	(MS or (mobile near1 station$)) same ((mobile near1 service near1 switch$6 near1 center) or MSSC) same L5	1
☐	L20	L3 same (inform$6 near4 mode$)	106
		DB=USPT; PLUR=YES; OP=ADJ	
☐	L19	'5706211'.pn.	1
☐	L18	'5802465'.pn.	1
☐	L17	'5802465'.pn.	1
☐	L16	'5845203'.pn.	1
		DB=PGPB,USPT; PLUR=YES; OP=ADJ	
☐	L15	6061572.pn.	1
☐	L14	L12 and mode$	3

☐	L13	L1 and L12	0
☐	L12	6061572.uref.	5
☐	L11	L2 same L10	2
☐	L10	((short near1 message near1 service) or SMS) same (MS or (mobile near1 station$)) same ((mobile near1 service near1 switch$6 near1 center) or MSSC)	126
☐	L9	((short near1 message near1 service) or SMS) same mode$	8242
☐	L8	L7 same L3	1
☐	L7	((data or voice) near1 mode$) same (inform$6 near10 mode$)	8938
☐	L6	code$ same L5	24
☐	L5	L3 same (inform$6 near10 mode$)	192
☐	L4	L2 and L3	559
☐	L3	mobile$ same L1	4601
☐	L2	((e or electronic) near1 mail) or e-mail or electronic-mail	83222
☐	L1	(dual adj1 mode$) or dual-mode$	15156

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
mobile$ same L10	112

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Refine Search

Recall Text   Clear   Interrupt

Search History

DATE: Friday, November 09, 2007   Purge Queries   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=PGPB,USPT; PLUR=YES; OP=ADJ		
L39	mobile$ same L10	112	L39
L38	(BSC$ or PDSN or MSC$) and L10	119	L38
L37	(BSC$ or PDSN or MSC$) and L36	4	L37
L36	L30 same ((convert$6 or translat$6 or convers$6) near10 (((e or electronic) near1 mail$) or email or e-mail or mail$))	88	L36
L35	(BSC$ or PDSN or MSC$) same L34	8	L35
L34	L22 same L33	463	L34
L33	L6 near4 ((((e or electronic) near1 mail$) or email or e-mail or mail$) or message$ or data)	9969	L33
L32	(CDMA200 or CDMA-2000 or (CDMA near1 2000)) and L10	1	L32
L31	L30 same L10	6	L31
L30	(data near1 only) or (data near1 (service$ or mode$ or session$))	178601	L30
L29	L28 and ((dual near1 mode$) or dualmode$ or dual-mode$)	3	L29

L28	L22 and L10	174	L28
L27	(data same voice) same L10	414	L27
L26	(L10 same L21) and L22	11	L26
L25	L10 same L22	9	L25
L24	(BSC$ or PDSN or MSC$) same L23	17	L24
L23	L6 same L22	925	L23
L22	L21 same (data same voice)	18129	L22
L21	(data or voice) near1 (service$ or mode$ or session$)	119777	L21
L20	(data or voice) same L6	24675	L20
L19	L12 and L18	39	L19
L18	((dual near1 mode$) or dualmode$ or dual-mode$) same L6	61	L18
L17	(data near1 only) same L10	1	L17
L16	((data or only) or DO) same L10	481	L16
L15	L10 same L14	1	L15
L14	((determin$6 or check$6) near4 whether) near4 (data near1 (mode$ or service$ or session$))	857	L14
L13	L12 and L10	4	L13
L12	((dual near1 mode$) or dualmode$ or dual-mode$) same data same voice	1002	L12
L11	(BSC$ or PDSN or MSC$) same L10	11	L11
L10	L6 near4 L9	1117	L10
L9	(((e or electronic) near1 mail$) or email or e-mail or mail$)	192091	L9
L8	L4 same L7	2	L8
L7	L6 near4 L5	434	L7
L6	(convert$6 or translat$6 or convers$6) near4 (SMS or (short near1 message near1 service$) or voice)	25412	L6
L5	(((e or electronic) near1 mail$) or email or e-mail or mail$) near1 message$	33678	L5
L4	((base near1 station near1 controller$) or BSC$)	19507	L4
L3	(mobile near1 service$ near1 switch$6 near1 center) or MSC$	25703	L3
L2	((dual near1 mode$) or dualmode$ or dual-mode$) near1 mobile$	1075	L2
L1	((dual near1 mode$) or dualmode$ or dual-mode$) near1 mobile$	1075	L1

END OF SEARCH HISTORY

WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Friday, November 09, 2007

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT; PLUR=YES; OP=ADJ	
⌐	L39	mobile$ same L10	112
⌐	L38	(BSC$ or PDSN or MSC$) and L10	119
⌐	L37	(BSC$ or PDSN or MSC$) and L36	4
⌐	L36	L30 same ((convert$6 or translat$6 or convers$6) near10 (((e or electronic) near1 mail$) or email or e-mail or mail$))	88
⌐	L35	(BSC$ or PDSN or MSC$) same L34	8
⌐	L34	L22 same L33	463
⌐	L33	L6 near4 ((((e or electronic) near1 mail$) or email or e-mail or mail$) or message$ or data)	9969
⌐	L32	(CDMA200 or CDMA-2000 or (CDMA near1 2000)) and L10	1
⌐	L31	L30 same L10	6
⌐	L30	(data near1 only) or (data near1 (service$ or mode$ or session$))	178601
⌐	L29	L28 and ((dual near1 mode$) or dualmode$ or dual-mode$)	3
⌐	L28	L22 and L10	174
⌐	L27	(data same voice) same L10	414
⌐	L26	(L10 same L21) and L22	11
⌐	L25	L10 same L22	9
⌐	L24	(BSC$ or PDSN or MSC$) same L23	17
⌐	L23	L6 same L22	925
⌐	L22	L21 same (data same voice)	18129
⌐	L21	(data or voice) near1 (service$ or mode$ or session$)	119777
⌐	L20	(data or voice) same L6	24675
⌐	L19	L12 and L18	39
⌐	L18	((dual near1 mode$) or dualmode$ or dual-mode$) same L6	61
⌐	L17	(data near1 only) same L10	1
⌐	L16	((data or only) or DO) same L10	481
⌐	L15	L10 same L14	1
⌐	L14	((determin$6 or check$6) near4 whether) near4 (data near1 (mode$ or service$ or session$))	857
⌐	L13	L12 and L10	4
⌐	L12	((dual near1 mode$) or dualmode$ or dual-mode$) same data same voice	1002

Γ	L11	(BSC$ or PDSN or MSC$) same L10	11
Γ	L10	L6 near4 L9	1117
Γ	L9	(((e or electronic) near1 mail$) or email or e-mail or mail$)	192091
Γ	L8	L4 same L7	2
Γ	L7	L6 near4 L5	434
Γ	L6	(convert$6 or translat$6 or convers$6) near4 (SMS or (short near1 message near1 service$) or voice)	25412
Γ	L5	(((e or electronic) near1 mail$) or email or e-mail or mail$) near1 message$	33678
Γ	L4	((base near1 station near1 controller$) or BSC$)	19507
Γ	L3	(mobile near1 service$ near1 switch$6 near1 center) or MSC$	25703
Γ	L2	((dual near1 mode$) or dualmode$ or dual-mode$) near1 mobile$	1075
Γ	L1	((dual near1 mode$) or dualmode$ or dual-mode$) near1 mobile$	1075

END OF SEARCH HISTORY

WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Friday, November 09, 2007

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT; PLUR=YES; OP=ADJ	
□	L34	((dual near1 mode$) or dual-mode$ or dualmode$) and L33	20
□	L33	((mobile near1 service near1 switching near1 center$) or MSC$) same (voice near1 (session$ or mode$ or service$)) same (data near1 (session$ or mode$ or service$))	160
□	L32	((dual near1 mode$) or dual-mode$ or dualmode$) and L31	4
□	L31	(mobile near1 service near1 switching near1 center$) same ((voice near1 (session$ or mode$ or service$)) same (data near1 session$ or mode$ or service$))	21
□	L30	(mobile near1 service near1 switching near1 center$) same (SMS or (short near1 message near1 service$))	115
□	L29	(mobile near1 service near1 switching near1 center$) same L27	2
□	L28	L26 and L27	52
□	L27	(SMS or (short near1 message near1 service$)) same ((voice near1 (session$ or mode$ or service$)) same (data near1 session$ or mode$ or service$))	600
□	L26	((voice near1 (session$ or mode$ or service$)) same (data near1 session$ or mode$ or service$)) and ((dual near1 mode$) or dual-mode$ or dualmode$)	932
□	L25	((voice near1 (session$ or mode$ or service$)) same (data near1 session$ or mode$ or service$)) same ((dual near1 mode$) or dual-mode$ or dualmode$)	174
□	L24	((dual near1 mode$) or dual-mode$ or dualmode$) same (data near1 mode$) same (voice near1 mode$)	15
□	L23	L8 and L22	2
□	L22	(convert$6 or translat$6 or convers$6) same L21	18
□	L21	encapsulat$6 near4 (SMS or (short near1 message near1 service))	153
□	L20	(mobile near1 service near1 switching near1 center$) same L9	16
□	L19	L15 and L18	1
□	L18	(mobile near1 service near1 switching near1 center$) same L2	40
□	L17	code$ same L15	6
□	L16	mobile$ same L15	149
□	L15	L9 same L2	149
□	L14	L9 and L2	1062
□	L13	L2 same L11	5
□	L12	L2 and L11	23
□	L11	mobile$ same L10	50

⌐	L10	L8 same (data near1 (mode$ or only))	262
⌐	L9	mobile$ same ((dual near1 mode$) or dual-mode$ or dualmode$)	4637
⌐	L8	((dual near1 mode$) or dual-mode$ or dualmode$) same (data or voice)	4444

DB=PGPB; PLUR=YES; OP=ADJ

⌐	L7	'20050136925'.pn.	1

DB=PGPB,USPT; PLUR=YES; OP=ADJ

⌐	L6	L1 and L4	24
⌐	L5	(convert$6 or translat$6 or convers$6) same L4	7
⌐	L4	mobile$ same L3	117
⌐	L3	((dual near1 mode$) or dual-mode$ or dualmode$) same ((data or voice) near1 (session$ or mode$ or service$)) same data same voice	207
⌐	L2	((e or electronic) near1 mail) or email or e-mail or electronic-mail or mail	160267
⌐	L1	(convert$6 or translat$6 or convers$6) near4 (SMS or (short near1 message near1 service$) or voice)	25412

END OF SEARCH HISTORY